

Libelium-SmartVillage Smart Garden Solution Kit 4G

Quick Start Guide



The IoT Marketplace
— Make it real —



INDEX

1. Identify the products.....	3
2. Open the box.....	3
3. Recharge Plug & Sense!.....	4
4. Antennas set up	4
5. Check connection diagram	5
6. Sensors setup.....	5
7. Connect sensors.....	6
8. Connect Solar Panel	6
9. Turn ON Plug & Sense!.....	7
10. Checking if data is received	8
11. Next Steps	8

1. Identify the products



2. Open the box



3. Recharge Plug & Sense!



4. Antennas set up



5. Check connection diagram

Libelium SmartVillage Smart Garden Solution Kit 4G

Get started in the IoT!

Plug & Sense!

- (1) Plug & Sense! Smart Agriculture 868 x1

Sensor Probes

- (2) Soil temperature (DS18B20) Probe x2
- (3) Soil moisture 4.5 m x2
- (4) Temperature, Humidity and Pressure Sensor Probe x2
- (5) WS-3000 (anemometer + wind vane + pluviometer) Probe x1


Power Options

- (6) 6600mAh Rechargeable Battery + External Solar Panel x2

Training


- (7) Technical Consultancy 2 hours x1
- (8) Plug & Sense! Programming Service x1
- (9) Meshlium Visualization Interface x1

Connection Diagram



*Pictures are for representation purpose only.

- Show a working demo to your customers within days
- Create an IoT laboratory for your students
- Test and discover the most suitable technology for your project



6. Sensors setup



7. Connect sensors



8. Connect Solar Panel




9. Turn ON Plug & Sense!



10. Checking if data is received

- Access to Meshlium as explained before in page 5-6.
- To check that your Plug & Sense! is sending data, see the ID_Wasp. The ID_Wasp of each Plug & Sense! can be found in the details sticker.



Meshlium Manager System
The open source router web manager

Meshlium RF 4G GPS AP

meshlium@db3 Restart
Home / Logout Shutdown

Interfaces Sensor Networks Cloud Connector Tools System Update Manager Help

libelium

RF modules
Capturer
Logs
Sensor list
OTA - FTP
Encryption

Captured Data

Local Database External Database Show me NOW Advanced

Connection data

Show data Last 100 Insertions.

Database: MeshliumDB
Table: sensorParser
IP: localhost
Port: 3306
User: root
Password: libelium2007

ID	Date	Sym	ID Wasp	ID Secret	Fr. type	Fr. number	SensorValue
4058609	2017-01-23 09:12:07	0	TEST_AGRP_80	3C1E7863D937426C6	225	WV	6
4058608	2017-01-23 09:12:07	0	TEST_AGRP_80	3C1E7863D937426C6	225	PLV3	0.0
4058607	2017-01-23 09:12:07	0	TEST_AGRP_80	3C1E7863D937426C6	225	PLV2	0.0
4058606	2017-01-23 09:12:07	0	TEST_AGRP_80	3C1E7863D937426C6	225	PLV1	0.0
4058605	2017-01-23 09:12:07	0	TEST_AGRP_80	3C1E7863D937426C6	225	ANE	0.0
4058604	2017-01-23 09:12:07	0	TEST_AGRP_80	3C1E7863D937426C6	225	SOIL_E	56.05381
4058603	2017-01-23 09:12:07	0	TEST_AGRP_80	3C1E7863D937426C6	225	SOIL_C	21.07188

© Libelium Comunicaciones Distribuidas S.L. | Terms of use

11. Next Steps

- Your Key Account Manager will put you in contact with the person in charge of the software services provider.